All Saints Industrial Estate, Shildon, Co. Durham DL4 2RD
t +44 (0)1388 778400 **f** +44 (0)1388 778800
w www.moteck.co.uk **e** sales@crd-devices.co.uk

CRD
D E V I C E S

Handset

H2Z

Features

◆ H2Z is designed for home care and furniture applications which can work well with Moteck standard control box and double motor, such as T Control, CS1, CB3T and Twinmat (I/II/III/IV).

◆ Main applications：home care, furniture

◆ Max. number of motors this handset can drive：2

◆ Available number of buttons：2, 4 or 6.

◆ Cable type and length：total 880mm long with 420mm spiral cable

◆ LED Indicator

◆ With hook

MOTECK ®
MOTORIZE OUR WORLD

Compatibility

1. **Control box**

   Moteck P1 Communication Type: T Control, CS1, CB3T.

2. **Double motors**

   Moteck P1 Communication Type: Twinmat I (TW40/TW60), Twinmat II (TW41/TW61), Twinmat III (TW42), Twinmat IV (TW43)

3. **Available housing type of plug**

	F type	A type
T Control	✓	
CB3T	✓	
CS1	✓	
Twinmat I		✓
Twinmat II		✓
Twinmat III		✓
Twinmat IV		✓

Dimensions

Unit: mm

Ordering Key

H2Z-☐☐-☐-☐☐-☐☐☐-☐☐☐

Number of button

02：2 buttons

04：4 buttons

06：6 buttons

Number of Motors

1：1 actuator； **2**：2 actuators

Function

00：Standard

01：Joint movement

Accessory

H30: Hook (30mm)

Panel artwork code

(Refer to next page for panel artwork options)

Cable

0：Standard (880mm/ Spiral 420mm)

Connector

F：F type housing with 90° DIN plug

A：A type housing with 90° DIN plug

Standard Panel Artwork

| Code	A	B		C	
Motors	1 drive	2 drives		2 drives	
Button Definition	**1+** **1-**	**1+**	**1-**	**1+**	**1-**
		2+	**2-**	**1+2+**	**1-2-**
				2+	**2-**
Communication Type	P1	P1		P1	
Artwork					

*Button Definition:

'1a 2' represent number of actuator controlled.

'+' represents actuator extends.

'-' represents actuator retracts.

PIN Definition

| | 1 drive | 2 drives | 2 drives+ joint movement |